

# INDEX MAPS.

## T. 30N, R. 8 E. 2<sup>nd</sup> Mer.

	221	220	220	220	219	219						
223	6	249	5	254	4	251	3	237	2	227	1	218
	249	250	243	243	238	236	227					
223	7	242	8	238	9	237	10	236	11	226	12	218
	251	242	242	236	236	237	230	226				
222	18	241	17	235	16	233	15	230	14	226	13	218
	244	241	235	232	229	225						
222	19	241	20	234	21	232	22	229	23	225	24	217
	240	240	234	231	229	225						
221	30	240	29	234	28	231	27	228	26	224	25	217
	239	239	233	231	228	224						
221	31	239	32	233	33	230	34	227	35	224	36	216
	216	216	215	215	215	215	215	215				

Meadows 214, 232

## T. 31N, R. 8 E. 2<sup>nd</sup> Mer.

264	6	287	5	280	4	276	3	272	2	268	1	261
	286	286	280	275	271	267						
263	7	285	8	280	9	275	10	271	11	267	12	261
	285	284	279	275	271	266						
263	18	284	17	279	16	274	15	270	14	266	13	260
	284	283	278	274	270	266						
263	19	283	20	278	21	273	22	269	23	266	24	260
	282	282	278	273	269	265						
262	30	282	29	277	28	273	27	269	26	265	25	259
	281	281	277	272	268	265						
262	31	280	32	276	33	272	34	268	35	264	36	259
	259	258	258	257	257	257	257					

Meadows 287

The figures on the lines refer to the page.

Township No 31 North of Range No 8 East of the 2nd Mer. Indiana

257

North Boundary

- Met. On South Boundary of Sec 36 var. 5° 55' E  
 19 48 An Elm 6 in. diam.  
 40 00 Set a g. Sec post from which  
 a Buck 28 in. diam. bears N. 76° E. 21 links dist &  
 a Po 14 " " " N 24 W 0 " "  
 60 48 A Hackberry 24 in. diam.  
 80 00 Set a Post Cor. to Secs 35 & 36 from which  
 a Buck 11 in. diam. bears N. 56° E. 9 links dist &  
 a Po 26 " " " N 68 W 22 " "  
 Land gently rolling 1st rate. Timber. Oak.  
 Buck. Sugar. Elm. Ash. &c. Hackberry Ironwood  
 and B. Walnut, Undergrowth.

- Met. On South Boundary of Sec 35.  
 21 64 A Buckeye 8 in. diam.  
 40 00 Set a g. Sec post from which  
 a Sugar 6 in. diam. bears N 2 W 9 links dist &  
 a Buck 10 " " " N 56 W 30 " "  
 47 50 A Brook 4 links wide. Course S. W.  
 53 00 Same - " " " N. W.  
 56 00 Left Bank of Eel River. Course S. W.  
 57 75 Set a Post on the Right Bank of Eel River  
 from which  
 a Hackberry 7 in. diam. bears N. 55° E. 7 links dist &  
 a Po 8 " " " S 59 W 21 " "  
 61 35 A W. Oak 30 in. diam.  
 68 00 A Brook 5 links wide. Course South.  
 80 00 Set a Post Cor. to Secs 34 & 35 from which  
 a Buckeye 7 in. diam. bears N. 6° E. 15 links dist &  
 a W. Oak 10 " " " N. 18 W. 48 " "  
 Land &c same as last mile

- Met. On South Boundary of Sec 34  
 15 54 A Sycamore 28 in. diam.  
 17 00 A Stream 30 links wide. Course South.



# T<sup>o</sup> A R & E 2<sup>nd</sup> Mer. Indiana.

- 40 00 Set a g. Sec post from which  
 a Buck 6 in. diam. bears N 31 $\frac{1}{2}$  E. 22 lks. dist &  
 a W. Oak 7 " " " N 76 $\frac{1}{2}$  W 27 " "  
 51. 98 A W. Oak 8 " "  
 80. 00 Set a Post Cor. to Sec. 33 & 34 from which  
 a Buckeye 6 in. diam. bears N. 51 $\frac{1}{2}$  E. 21 links dist  
 a " 5 " " " N. 61 $\frac{1}{2}$  W. 13 " "  
 Land & much the same

- West On South Boundary of Sec. 33.  
 15 14 An Elm 9 in. diam.  
 24. 00 A Trail. Course N E.  
 36 23 An Elm 16 in. diam.  
 40. 00 Set a g. Sec post from which  
 a W. Oak 30 in. diam. bears N 55 W 41 links dist &  
 a " 4 " " " N 55 $\frac{1}{2}$  E 36 " "  
 54. 61 A Blue Ash 15 in. diam.  
 66. 85 A Buck 12 " "  
 80 00 Set a Post Cor. to Sec. 32 & 33 from which  
 a Buck 9 in. diam. bears N. 23 E. 40 links dist &  
 a " 5 " " " N. 62 $\frac{1}{2}$  W. 47 " "  
 Land & same. Oct 9<sup>th</sup> 1833.

- West On South Boundary of Sec. 32  
 17. 74 A Red Oak 36 in. diam.  
 35 00 A Brook 5 links wide. Course South.  
 40. 00 Set a g. Sec post. from which  
 a Buck 10 in. diam. bears N. 59 E. 48 links dist &  
 a " 26 " " " N. 24 W. 34 " "  
 52 33 A Buck 20 " "  
 73. 32 An Elm 18 " "  
 80. 00 Set a Post Cor. to Sec. 31 & 32 from which  
 a Sugar 9 in. diam. bears N. 68 W. 46 links dist &  
 a Buck 6 " " " N. 61 $\frac{1}{2}$  E 45 " "  
 Land & same.

# 259

## T 38 N. R. 8. E. 2<sup>nd</sup> Mer. Indiana.

- West On South Boundary of Sec. 31
- 10.49 A Beech 8 in. diam.
- 34.24 A Do 8 " "
- 46.00 Set a q. Sec Post from which  
a Beech 6 in. diam. bears N. 25<sup>1</sup>/<sub>2</sub> E. 23 links dist, &  
a Do 14 " " " N 68<sup>1</sup>/<sub>2</sub> W 25 " "
- 53.84 A W Oak 26 " "
- 61.00 A Stream 40 links wide. Course South.
- 68.93 A Cherry 20 in. diam.
- 91.16 To Range line 5 ch<sup>s</sup> + 92 links South of Tem p.  
Town Corner. Set a Post corner from which  
a Hickory 8 in. diam. bears S. 35 E. 14 links dist, &  
a Beech 14 " " " N 40 W 24 " "  
Land & same.

### East Boundary.

- North On East Boundary of Sec 36 var. 6<sup>30</sup> E
- 5.93 An Old Meander Post on the Left Bank of El  
River
- 6.73 Set a Post on the Right Bank of the River  
from which an  
Elm 11 in. diam. bears N. 29 E. 38 links dist, &  
a Do 8 " " " N. 36<sup>1</sup>/<sub>2</sub> W. 53 " "
- 24.62 A B. Walnut 7 in. diam.
- 34.69 A Beech 8 " "
- 40.00 To a Beech 8 " " Cor. to 1/4 Sec.
- 50.95 An Elm 10 in. diam.
- 70.88 A Beech 24 " "
- 80.00 Set a Post Cor. to Sec. 25 & 36 from which  
a Beech 7 in. diam. bears S. 23<sup>1</sup>/<sub>2</sub> W. 38 lks. dist, &  
a Do 5 " " " N 67<sup>1</sup>/<sub>2</sub> W. 17 " "  
Land Rolling & 1<sup>st</sup> rate. Timber. Oak. Ash. Elm  
Maple. B. Walnut. Beech. Sugar. & Iron woods.  
Underg<sup>th</sup> much the same.

North On East Boundary of Sec 35.

T 31 N. R. 8. E. 2<sup>nd</sup> Mer. Indiana.

40 25 Am Elm 8 in. diam.  
 40.00 Set a q. Sec. post from which  
 a Beech 9 in. diam. bears S 37 W 110 links dist. &  
 a Do 10 " " " " N 39 W 119 " "  
 50 94 A W. Oak 32 " "  
 70. 59 Am Aspen 10 in. diam.  
 80.00 Set a Post cor. to Sec. 24 & 25 from which  
 a Maple 10 in. diam. bears N 87 W 20 links dist. &  
 a B. Ash 10 " " " " S. 7 W. 18 " "  
 Land to 2<sup>nd</sup> rate. Timber. Oak. Ash. Maple  
 Sugar Beech & Ironwood.

North On East Boundary of Sec 24.  
 20 13 A W. Oak 30 in. diam.  
 30 23 A W. Oak 10 " "  
 40.00 Set a q. Sec. post from which  
 a W. Oak 20 in. diam. bears S 13 W. 93 links dist. &  
 a B. Oak 7 " " " " N. 67 1/2 W. 28 " "  
 55 00 Enter Willow Swamp.  
 65 38 A W. Ash 12 in. diam.  
 74. 50 Leave the Swamp  
 80.00 Set a Post cor. to Sec. 13 & 24 from which  
 a W. Oak 16 in. diam. bears S. 26 W. 49 links dist. &  
 a Do. 20 " " " " N. 70 W. 24 " "  
 Land level & 2<sup>nd</sup> rate. (Swamp excepted)  
 Timber as before

North On East Boundary of Sec 13  
 5. 00 Enter Cranberry Marsh  
 21. 00 Leave the same  
 21. 87 A W. Oak 7 in. diam.  
 40. 00 Set a q. Sec. post from which  
 a W. Oak 32 in. diam. bears S. 4 W. 7 links dist. &  
 a Hickory 5 " " " " N 57 1/2 W 25 " "  
 53. 00 Enter Marsh  
 69. 00 Leave the same.



# T 31 N. R. 8 E. 2<sup>nd</sup> Mer. Indiana.

261

72.82 A W. Oak 34 in. diam.  
 80.00 Set a Post Cor. to Sec. 12 & 13 from which  
 a W. Oak 12 in. diam. bears S. 57° W. 22 links dis. &  
 a Do 18 " " " N. 33° W. 43 " "  
 Land Adling & 2<sup>nd</sup> rate. Timber Oak & Hickory.

North On East Boundary of Sec 12  
 7.50 Enter Marsh.  
 20.00 Leave same  
 28.20 A Hickory 10 in. diam.  
 40.00 Set a g. Sec. post from which  
 a Hickory 10 in. diam. bears S. 10° W. 56 links dis. &  
 a Y. Oak 26 " " " N. 83° W. 21 " "  
 54.72 An Elm 12 " "  
 80.00 Set a Post Cor. to Sec. 1 & 12 from which -  
 a W. Oak 6 in. diam. bears S. 8° W. 18 links dis. &  
 a Beech 10 " " " N. 65° W. 38 " "  
 Land & much the same.

~~North On East Boundary of Sec 1.  
 21.41 A Buck 9 in. diam.  
 33.00 A Stream 25 links wide. Course S. E.  
 35.00 Same " " " S. W.  
 40.00 Set a g. Sec. post from which  
 a Buck 10 in. diam. bears S. 52° W. 16 links dis. &  
 a Do 10 " " " N. 80° W. 50 " "  
 40.10 A Stream 10 links wide. Course S. E.  
 42.00 Same " " " S. W.  
 43.00 Same " " " S. E.  
 55.00 Same " " " S. W.  
 56.00 Same " " " S. E.  
 56.32 A W. Ash 12 in. diam.  
 80.00 Set a Post Cor. to Sec. 25 & 36. from which~~

North On East Boundary of Sec 1.  
 11.78 A Buck 24 in. diam.



T B 1 A R 8 E 2<sup>nd</sup> Mer. Indiana.

14. 50 A Birch 8 links wide. Course N. W.  
 28. 31 A W. Ash 10 in. diam.  
 40. 00 Set a g. the post from which  
 a B. Ash 14 in. diam. bears S 58° W 23 lks. dist &  
 a W. Oak 12 " " " N. 81° W 27 " "  
 51. 18 A Birch 20 " "  
 65. 00 A W. Oak 12 " "  
 80. 00 Set a stump. Corner  
 Land Rolling 2<sup>nd</sup> rate. Timber. Beech. Sugar  
 Ash. Elm. Oak. & Ironwood. Underg<sup>th</sup> much  
 the same. Oct. 26<sup>th</sup> 1833.

## Note Boundary

var. 5. 578

North On East Boundary of the 36. P 31. A R 7 E

21. 41 A Birch 9 in. diam.

33. 00 A Stream 25 links wide. Course S E.

35. 00 Same " " " " S W.

40. 00 Set a g. the post from which  
 a Birch 10 in. diam. bears S 52° W 15 links dist &  
 a No. 6 " " " " N. 86° W 58 " "

40. 10 A Stream 10 links wide. Course S E

42. 00 Same " " " " S W.

43. 00 Same " " " " S E.

55. 00 Same " " " " S W.

56. 00 Same " " " " S E

56. 33 A W. Ash 12 in. diam.

80. 00 Set a Post cor. to the 25 & 36 from which  
 a Birch 10 in. diam. bears N. 82° W 13 links dist &  
 a No. 10 " " " " S. 65° W. 54 " "

Land Rolling & 2<sup>nd</sup> rate. Timber. Oak. Beech  
 Ash. Elm. White wood &c Underg<sup>th</sup> same

North On East Boundary of the 25 P 31. A R 7 E.

13. 59 A W. Ash 10 in. diam.

40. 00 Set a g. the post from which  
 a Birch 8 in. diam. bears S. 2° W 9 links dist &

263

T 31 N. R 8 E. 2<sup>nd</sup> Mer. Indiana.

a Beech 28 in. diam. bears N 30 W 34 links dist  
 55.91 A White Wood 34 in. diam.  
 80.00 Set a Post Cor. to Sec. 24 & 25 from which  
 a White Wood 32 in. diam. bears S 27 W 13 links dist &  
 a Beech 4 " " " N 28 W 17 " "  
 Land & same

North On East Boundary of Sec. 24 T 31 N. R 7 E.  
 21.00 A Beech 12 in. diam.  
 30.63 A White Wood 24 " "  
 40.00 Set a gr. Sec. post from which  
 a B. Oak 6 in. diam. bears S 57 W 49 links dist &  
 a W. Oak 25 " " " N 39 W 29 " "  
 61.41 A Beech 10 " "  
 80.00 Set a Post Cor. to Sec. 13 & 24 from which  
 a B. Oak 14 in. diam. bears S 23 W 18 links dist &  
 a White Wood 7 " " " N 00 W 7 1/2 " "  
 Land & same.

North On East Boundary of Sec. 13. T 31 N. R 7 E.  
 17.14 An Elm 28 in. diam.  
 33.80 A Beech 8 " "  
 40.00 Set a gr. Sec. post from which  
 an Elm 9 in. diam. bears S 4 W 10 links dist &  
 a Beech 7 " " " N 42 W 25 " "  
 53.30 A Do 10 " "  
 68.97 A B. Ash 8 " "  
 80.00 Set a Post Cor. to Sec. 12 & 13 from which  
 a Sugar 10 in. diam. bears S 60 W 18 links dist &  
 a Hickory 8 " " " N 22 W 3 1/2 " "  
 Land & much the same.

North On East Boundary of Sec. 12. T 31 N. R 7 E.  
 18.80 A Beech 20 in. diam.  
 33.44 A Butternut 16. " "  
 40.00 Set a gr. Sec. post from which

## T31 N. R 8 E 2nd Mer. Indiana.

- a W. Oak 30 in. diam. bears S. 63 $\frac{1}{2}$  W. 29 lks. dist &  
 an Elm 4 " " " N. 41 $\frac{1}{2}$  W. 23 " "  
 62. 85 An Elm 16 " "  
 80. 00 Set a Post cor. to Sec. 1 & 2 from which  
 a W. Ash 4 in. diam. bears S. 78 W. 6 links dist &  
 an Ironwood 11 " " " N. 39 W. 44 " "  
 Land is much the same.

North On East Boundary of Sec. 1. T31 N R 7 E.

21. 00 A W. Oak 6 in. diam.  
 40 00 Set a gr. Sec post. from which  
 a W. Ash 6 in. diam. bears S. 49 W. 29 links dist &  
 a W. Oak 28 " " " N. 75 W. 24 " "  
 52 41 A Hickory 16 in. diam.  
 80. 00 Temp. Iron corner.  
 Land is same. Oct 27<sup>th</sup>. 1833.

Surveyed by  
 Sylvester Tibbey Dep. Sur.

Subdivisions March 15<sup>th</sup> 1834

North Between Sec. 35 & 36.

var. 6<sup>th</sup> 30<sup>th</sup> 6

From the corner on the South Boundary

22. 50 Intersect Eel River on the Left Bank 213  
 West of the old corner.

- 24 43 Made corner to Sec. 35 & 36 on the Right  
 Bank of Eel River. from which  
 a Hackberry 12 in. diam. bears S. 80 $\frac{1}{2}$  E. 14 lks. dist &  
 a Beech 18 " " " West 23 " "

29. 60 A W. Oak 33 " "

40. 00 Set a gr. Sec post from which  
 a Beech 12 in. diam. bears N. 87 W. 34 lks dist &  
 a Q 14 " " " S. 84 E. 37 " "

80. 00 Set a Post cor. to Sec. 25. 26. 35 & 36 from which  
 a Beech 11 in. diam. bears S. 24 E. 14 links dist &  
 a Q 11 " " " N. 30 E. 17 " "  
 Land gently rolling & good 2<sup>nd</sup> rate.

# T 31 N R 8 E 2<sup>nd</sup> Mer. Indiana

265

**East** On Random between Sec. 25 & 36  
 53. 00 A Brook 6 links wide. Course SE  
 78. 84 Intersect the N & S line 39 links South of the Post.  
 Land the same as last mile.

**West** Connected between Sec. 25 & 36  
 39. 92 Set a g. See Post at aver. dist. from which  
 a Birch 20 in. diam. bears N 72 E 15 links dist. &  
 a Do 18 " " " S 30 W 35 " "  
 78. 84 To the Corner.

**North** Between Sec. 25 & 26.  
 17. 75 A Hickory 18 in. diam.  
 41. 00 Set a g. The Post from which  
 a Birch 18 in. diam. bears N 39 W 11 links dist. &  
 a Do 15 " " " S 20 E 16 " "  
 50. 00 Set a Post Cor. to Sec. 23. 24. 25 & 26 from which  
 a Maple 20 in. diam. bears S 68 E 18 links dist. &  
 an Ash 16 " " " N 29 W 20 " "  
 in Swamp.  
 Land rolling interspersed with wet ground  
 and small Willow Swamps

**East** On Random between Sec. 24 & 25.  
 25. 00 A Close Willow Swamp 6 or 8 chains wide  
 78. 50 Intersect the E. Boundary 32 links E. of the Post.  
 Land. 1<sup>st</sup> 1/2 mile dry East of swampy.

**West** Connected between Sec. 24 & 25.  
 22. 10 A W. Oak 6 in. diam.  
 39. 25 Set a g. The Post at aver. dist. from which  
 a Willow 4 in. diam. bears N 81 E 9 links dist. &  
 a Do 3 " " " West 19 " "  
 Post in Swamp.  
 78. 50 To the Corner.



T. 31. N. R. 8 E 2<sup>nd</sup> Mer. Indiana.

North Between Sec. 23 &amp; 24

25.35 A W. Oak 30 in. diam.

40.00 Set a g. Sec. post from which  
a Hickory 11 in. diam. bears N. 11 E 6 links dist. &  
a W. Oak 18 " " " S 77 W 41 " "80.00 Set a Post Cor. to Sec. 13. 14. 23 & 24 from which  
an Elm 5 in. diam. bears S. 77 W. 14 links dist. &  
a Hickory 12 " " " N. 44 E. 21 " "  
Land poor. Timber Oak

East On Random between Sec. 13 &amp; 24

5.00 A small wet Prairie

78.00 Intersect E. Boundary links North of Post.  
Land rolling clay soil Timber Oak.  
very little underg<sup>th</sup>

West Corrected between Sec. 13 &amp; 24

39.00 Set a g. Sec. post at aver. dist. from which  
a Hickory 11 in. diam. bears S. 7 E. 13 links dist. &  
a " 11 " " " N 70 E 24 " "

40.12 A Hickory 12 " "

78.00 To Sec. Corner

North Between Sec. 13 &amp; 14

8.40 A Hickory 10 in. diam.

40.00 Set a g. Sec. post from which  
an Ironwood 12 in. diam. bears South 24 links dist. &  
a Hickory 11 " " " N 15 W 37 " "80.00 Set a Post Cor. to Sec. 11. 12. 13. 14 from which  
a W. Oak 20 in. diam. bears S 82 E 32 links dist. &  
a Poplar 20 " " " S 67 W 21 " "Land quite rolling but poor. At 45 chains there  
were spurs of Prairie. both East & West of the line  
Timber Oak. March 15<sup>th</sup> 1834.

East On Random between Sec. 12 &amp; 13

267

T 31 N. R 8 E 2<sup>nd</sup> Mer. Indiana.

78. 50 Intersect the East Boundary 2.72 links N. of Post.  
Land Rolling Timber. Oak. Poor land.

West Directed between Sec. 12 & 13

21. 06 A Hickory 10 in. diam.

39. 25 Set a g. Sec post at aver. dist. from which  
a W. Oak 24 in. diam. bears S 20 E 47 links dist. &  
a Hickory 12 " " " S. 47 W 56 " "

59. 95 A W. Oak 20 " "

78. 50 To Sec. Corner

North Between Sec. 11 & 12

30. 00 A Brook 12 links wide. Course S W.

40. 00 Set a g. Sec. post from which  
a B. Oak 15 in. diam. bears S 86 E. 23 links dist. &  
an Elm 12 " " " N. 44 W. 5 " "

49. 00 A Brook 12 links wide. Course S W.

80. 00 Set a Post cor. to Sec. 1. 2. 11 & 12 from which  
a S. Ash 20 in. diam. bears S 84 W 40 links dist. &  
a Maple 20 " " " S 12 E 50 " "

South 1/2 mile open woods. North 1/2 heavy timber  
Oak. Hickory. &c. Undergrowth Oak & Dogwood.  
Land poor interspersed with swamps.

East On Random between Sec. 1 & 12

27. 50 A Brook 12 links wide. Course South.

41. 53 To " " " " S E

78. 10 Intersect the East Boundary 1 chain North of Post.  
Land rolling & swampy. The East 20 chains  
is pretty good land.

West Directed between Sec. 1 & 12

17. 77 A Cottonwood 12 in. diam.

39. 05 Set a g. Sec post at aver. dist. from which  
an Asp. 10 in. diam. bears S 74 W 33 links dist. &  
a Butternut 12 " " " S 68 E 89 " "

## T 31 N. R 8 E Ind. Mer. Indiana.

41 90 An Elm 12 in. diam.  
76 10 To the corner.

North Between Sec. 1 & 2,

30. 11 An Ash 20 in. diam.

40. 07 Set a q. the post from which  
a Sugar 20 in. diam. bears S 27 W 19 lks. dist. &  
a B. Walnut 12 " " " N. 20 W. 26 " "

55. 50 A Brook 10 links wide. Course S E.

86. 22 Intersect the line of Correction 2.88 links East  
of a q. the corner, where set a Post. Cor. to Sec. 1 & 2  
from which

a W. Beech 5 in. diam. bears S. 29 E. 29 lks. dist. &

a P. 7 " " " S 58 W 11 " "

Land. South 1/2 mile Rolling. North 1/2 hilly.

Heavy timbered with Oak. Hickory. Ash. &c.

Underg. the Ironwood. Dogwood. Beech. Elm. &c.

North Between Sec. 34 & 35.

7. 75 An Elm 22 in. diam.

40. 07 Set a q. the post from which

a Beech 24 in. diam. bears S. 23 E. 25 links dist. &

a P. 10 " " " N. 48 E 23 " "

57. 13 An Ash 36 " "

80. 00 Set a Post Cor. to Sec. 26. 27 34 & 35 from which  
Ash 12 in. diam. bears S. 65 W. 28 links dist. & an  
Elm 11 " " " S. 61 W. 21 " "

Land 2<sup>nd</sup> rate. Timber. Beech. Ash. Oak.

Sugar. Walnut &c.

East On Random between Sec. 26 & 35

80 97 Intersect the N & S line 13 links North of the Post.  
Land. level. 2<sup>nd</sup> rate. Timber. Beech. Ash. Oak.  
Oak. &c.

West Corrected between Sec. 26 & 35

# T 31 N. R 8 E 2nd Mer. Indiana.

269

23. 00 An Ash 20 in. diam.  
 40. 48 Set a q. Sec. post at aver. dist. from which  
 a Buck 19 in. diam. bears N. 37 W. 7 links dist. &  
 an R. Oak 30 " " " S 10 E 14 " "  
 41. 81 A Buck 10 " "  
 80 97 To Sec. corner.

- North Between Sec. 25 & 27  
 22. 33 A Cherry 8 in. diam. &c  
 38. 00 A Brook 7 links wide. Course N.  
 40. 00 Set a q. Sec. post from which  
 an Ash 15 in. diam. bears S. 72 W. 13 links dist. &  
 a Buck 18 " " " N 14 E 14 " "  
 54. 05 A Buck 20 " "  
 80. 00 Set a Post Cor. to Sec. 22. 23. 25 & 27 from which  
 a Buck 20 in. diam. bears South 23 links dist. &  
 a Co 12 " " " N 30 E 24 " "  
 Land & Timber as before.  
 March 17<sup>th</sup> 1834.

- East On Random between Sec. 23 & 25  
 80 33 Intersect N & S line 60 links North of the Post.  
 Land level & 2<sup>nd</sup> rate. Timber as before.

- West Corrected between Sec. 23 & 25  
 21. 05 An Ash 6 in. diam.  
 40 10 1/2 Set a q. Sec. post at aver. dist. from which  
 an R. Oak 22 in. diam. bears N. 5 W. 21 links dist. &  
 a W. Oak 24 " " " S. 59 E 39 " "  
 50 90 A W. Buck 10 " "  
 50 33 To Sec. corner

- North Between Sec. 22 & 23  
 2. 20 A Brook 35 links wide. Course S W.  
 5. 57 A Red Bud 7 in. diam.  
 19. 55 A Brook 35 links wide. Course S E.



## T 31 N. R. 8. E. 2nd Mer. Indiana.

40. 00 Set a g. Sec. post in Brook from which  
a B. Walnut 7 in. diam. bears N. 10° W. 21 links dist. &  
a Qc 5 " " " N. 51° W. 10 " "
53. 57 An Ash 36 " "
80. 00 Set a Post Cor. to Sec. 14 15. 22 & 23 from which  
a S. Ash 10 in. diam. bears S 14 E 11 links dist. &  
a Qc 8 " " " N. 56° W. 22 " "
- Land on the South  $\frac{1}{2}$  mile same. good Bottom.

- East On Random between Sec. 14 & 23.
10. 80 A Brook 25 links wide. Course S E.
32. 00 Enter Mt Prairie
40. 00 Same same
- 80 41 Intersect the N & S line 2. 29 links North of Post.  
Land West  $\frac{1}{2}$  mile level & wet. East  $\frac{1}{2}$  mile rolling  
& dry. Timber Oak.

- West Connected between Sec. 14 & 23
- 20 50 A W. Oak 22 in. diam.
- 40 20½ Set a g. Sec. post at aver. dist. from which  
an S. Ash 10 in. diam. bears S 82° W. 13 links dist. &  
a Maple 8 " " " S 42° E 38 " "
- 41 50 A Qc 30 " "
- 80 41 To Sec. Corner.

- North Between Sec. 14 & 15
29. 92 A W. Oak 24 in. diam.
40. 00 Set a g. Sec. post. from which  
an Ash 6 in. diam. bears N. 8° W. 19 links dist. &  
a W. Oak 30 " " " S 8° E 32 " "
- 48 92 A W. Oak 40 " "
72. 00 A Brook 0 links wide. Course S E.
80. 00 Set a Post Cor. to Sec. 10 11. 14 15 from which  
a Hickory 12 in. diam. bears N. 65° E. 23 links dist. &  
an Ash 7 " " " N. 51° W. 7 " "
- South  $\frac{1}{2}$  mile Swampy. North  $\frac{1}{2}$  rolling

271

T 31 N. R. 8 E. 2nd Mer. Indiana.

East On Random between Sec. 11 & 14  
 14. 50 Enter Wet Prairie  
 67. 50 A Brook 20 links wide. Course South where  
 left the Prairie.  
 80 09 Intersect N & S line 16 links North of the Post.  
 Land . . . . . Timber mostly Oak & Hickory.

West Corrected between Sec. 11 & 14  
 40 04 1/2 Set a g. the post at aver. dist. from which  
 a W. Oak 10 in. diam. bears N 80 E 84 links dist. &  
 a Hickory 8 " " " S 27 E 69 " "  
 80 09 To the corner.

North Between Sec. 10 & 11  
 14. 50 A Beech 12 in. diam.  
 40. 00 Set a g. the post from which  
 a Beech 24 in. diam. bears N 80 E 29 links dist. &  
 an Elm 6 " " " N. 79 W. 12 " "  
 59. 09 A W. Oak 2 1/4 " "  
 62. 75 A Brook 5 links wide. Course S E.  
 80. 07 Set a Post cor. to Sec. 2. 3. 10. 11 from which  
 a Beech 12 in. diam. bears S. 19 E. 26 links dist. &  
 a W. Oak 6 " " " N. 68 E. 17 " "  
 Land Rolling 2nd rate. Timber. Oak. Ash.  
 Walnut. Hickory. &c.

East On Random between Sec. 2 & 11  
 37. 50 Enter Wet Prairie  
 52. 50 Left same.  
 79. 12 Intersect N & S line 16 links North of Post.  
 Land & Timber as before.

West Corrected between Sec. 2 & 11.  
 21. 32 A Hickory 10 in. diam.  
 39. 55 Set a g. the post at aver. dist. from which  
 a W. Oak 16 in. diam. bears N. 6 E. 143 lks. dist.

T<sup>31</sup> N. R & E. 2<sup>nd</sup> Mer. Indiana.

60 48 A Hickory 20 in. diam.  
79.12 To Sec. Corner.

North Between Secs. 2 & 3

33.50 An Elm 12 in. diam.

40 00 Set a g. Sec. Post from which

an S. Ash 6 in. diam. bears N. 74 E. 11 links dist. &

an Elm 6 " " " S. 86 W. 23 " "

70.35 A B. Oak 30 " "

87.26 Intersect the line of Correction in a large  
Mellon Swamp. where set a Post Cor. to Sec.  
2 & 3. from which -

No bearing trees given at intersection of  
North Boundary of Tennesseps.

Land rolling & 2<sup>nd</sup> rate. Timber. Oak Hickory  
Walnut, &c. Underg<sup>th</sup>. Dogwood. Ironwood  
& Buck. March 18<sup>th</sup> 1834.

North Between Secs. 33 & 34

14 23 A Buck 20 in. diam.

31.20 A Brook 20 links wide. Course S.E.

40.00 Set a g. Sec. Post from which

a Sugar 30 in. diam. bears N. 45 E. 5 links dist. &

an Ironwood 6 " " " S. 73 W. 18 " "

54.00 A Buck 18 " "

80.00 Set a Post cor. of Secs. 27 28 33 & 34 from which  
a Buck 12 in. diam. bears N. 12 W. 13 links dist. &  
a Q. 15 " " " S. 26 W. 10 " "

Land gently rolling & rich. Timber. Buck.  
Sugar. Walnut. Ash. Hackberry. Ironwood  
Elm. &c.

East On Road between Secs. 27 & 34.

20 40 A Brook 50 links wide. Course South.

80 73 Intersect N & S line 50 links North of the Post.

Land W. p. mile rich East's 2<sup>nd</sup> rate Timber as before

# T B N. R & E. 9<sup>th</sup> Mer. Indiana.

273

West Connected between Sec. 27 & 34.  
 26. 46 A Birch 24 links wide  
 20 33 A Beech 6 in. diam.  
 40 36 Set a gr. Sec. post at aver. dist. from which  
 an Elm 12 in. diam. bears N. 51° W. 9 links dist. &  
 a Buckeye 8 " " " S. 69° E. 12 " "  
 65 50 A Do 22 " "  
 80 73 To Sec. corner. March 21<sup>st</sup> 1834.

North Between Sec. 27 & 28  
 10 05 A Sugar. 10 in. diam.  
 40. 00 Set a gr. Sec. post from which  
 a Birch 20 in. diam. bears S. 25° E. 13 links dist. &  
 a Do 18 " " " N. 49° W. 14 " "  
 60. 00 An H. Oak 36 " "  
 80. 00 Set a Post Cor. to Sec. 21, 22, 27 & 28. from which  
 a Beech 6 in. diam. bears N. 49° W. 13 links dist. &  
 a W. Oak 30 " " " S. 7° E. 31 " "  
 Land Rolling & good 2<sup>nd</sup> rate.

East On Random between Sec. 22 & 27  
 10. 75 A Birch 6 links wide. Course S. E.  
 50. 75 A Do 20 " " " S. E.  
 70. 00 A Do 50 " " " South.  
 80. 70 Intersect the N & S line 12 links South of Post.  
 Land &c as before.

West Connected between Sec. 22 & 27  
 20 50 A Beech 7 in. diam.  
 40. 35 Set a gr. Sec. post at aver. dist. from which  
 a Hickory 7 in. diam. bears N. 51° E. 20 links dist. &  
 a Dogwood 6 " " " S. 68° W. 11 " "  
 60. 40 A Beech 20 " "  
 80 70 To Sec. corner.

North Between Sec. 21 & 22.



T 31 N. R & E 2<sup>nd</sup> Sec. Indiana.

- 10 49 A Brook 6 links wide. Course S.E.  
 15 12 A Beech 12 in. diam.  
 40.00 Set a g. Sec. post from which  
 an Ash 8 in. diam. bears N 85 E 15 links dist. &  
 a S. Do 7 " " " S. 54 N. 20 " "  
 54 11 A Beech 10 " "  
 72 00 A Brook 15 links wide. Course S.E.  
 80.00 Set a Post cor. to Secs. 15 16. 21 & 22 from which  
 a W. Oak 36 in. diam. bears N 12 W 8 links dist. &  
 an H. Oak 10 " " " S. 11 E 18 " "  
 Land rolling 2<sup>nd</sup> rate. Timber. Oak. Hickory.  
 Sugar. Walnut. Beech. Ash &c. Underg.  
 Ironwood &c.

East On Random between Secs. 15 & 22  
 80 75 Intersect the N & S line 24 links North of Post.  
 Land Mod. rolling 2<sup>nd</sup> rate. The East 1/2 inclining  
 to Mt. level.

- West Connected between Secs. 15 & 22  
 22.45 An Ash 10 in. diam.  
 40 3 7/8 Set a g. Sec. post at aver. dist. from which  
 a W. Oak 10 in. diam. bears N 20 E 33 links dist. &  
 a Sugar. 20 " " " S 20 E 34 " "  
 69.09 A Hickory 20 " "  
 80.75 To Sec. Corner.

- North Between Secs. 15 & 16  
 6.00 A Brook 12 links wide. Course S.E.  
 22.52 A W. Oak 24 in. diam.  
 40.00 Set a g. Sec. post from which  
 a Beech 24 in. diam. bears N 63 E 38 links dist. &  
 a Sugar 10 " " " N 62 W 44 " "  
 56.40 An H. Oak 30 in. diam.  
 80 00 Set a Post cor. to Secs. 9. 10. 15 & 16 from which  
 a Beech 11 in. diam. bears S. 39 W 10 links dist. &

# T31 N. R. & E. 2<sup>nd</sup> Mer. Indiana.

275

a W. Oak 24 in. diam. bears N 25 W 9 links dist.  
 Timber. Beech. Sugar. Ash. Oak. Walnut.  
 Hickory. Elm. &c. Underg. H. Ironwood. Beech.  
 Sugar. " &c. March 22<sup>nd</sup> 1834.

East On Random between Sec. 10 & 15.  
 22. 00 Enter Wet Prairie  
 27 75 A Brook 8 links wide. Course South.  
 29. 80 Left Prairie  
 80 80 Intersect the N & S line 23 links North of the Post.  
 Land 3<sup>rd</sup> rate. Timber Oak. W. G. Hornbeam. Elm.  
 Oak & Thorn.

West Corrected between Sec. 10 & 15.  
 21. 58 A Hickory 7 in. diam.  
 40 40 Set a g. Sec. Post at a rec. dist. from which  
 a W. Oak 30 in. diam. bears S 42 W 11 links dist. &  
 a Hickory 10 " " " N 25 E 23 " "  
 63. 48 A W. Oak 24 " "  
 80. 00 To Sec. Corner

North Between Sec. 9 & 10  
 38 58 A Brook 10 links wide. Course S. by E.  
 38. 14 A Beech 6 in. diam.  
 40 00 Set a g. Sec. Post from which  
 a Beech 12 in. diam. bears N. 80 E. 19 links dist. &  
 a Sugar 15 " " " N 33 W 9 " "  
 49 56 A Q 15 " "  
 80 00 Set a Post Cor. to Sec. 3. 4. 9 & 10 from which  
 an Ash 13 in. diam. bears S 38 W 30 links dist. &  
 an Elm 24 " " " East 11 " "  
 Land Rolling South 1/2 mile hilly 2<sup>nd</sup> rate.  
 Timber. W. Oak. Hickory Sugar. Ash. Elm  
 and Ironwood.

East On Random between Sec. 3 & 10.

T.B. N. R. & E. 2<sup>nd</sup> Mer. Indiana

- 57.09 A Brook 8 links wide. Course S.E.  
 60.97 Intersect N & S line 1.30 links N. of the Post.  
 Land Rolling & interspersed with swamps  
 At from 35 to 40 chains a large Willow Swamp  
 extending N & S

- West Corrected between Sec. 3 & 10  
 21.34 A Beech 15 in. diam.  
 40.48 $\frac{1}{2}$  Set a gr. Sec post at aver. dist. from which  
 a W. Oak 20 in. diam. bears South 8 links dist. &  
 a Do 24 " " " N 10 E 23 " "  
 54.37 A Beech 16 " "  
 80.97 To Sec. corner.

- North Between Sec. 3 & 4  
 13.30 A Hickory 24 in. diam.  
 40.00 Set a gr. Sec. post in close Willow Swamp. from  
 which an  
 Elm 20 in. diam. bears S. 81 W. 3.58 links dist. &  
 Do 20 " " " N. 83 W. 3.58 " "  
 54.70 An R. Oak 40 in. diam.  
 56.00 Perhaps 5 chains East of this line there appears  
 to be a small Lake or pond which connects with  
 the swamp mentioned at the  $\frac{1}{4}$  Sec. post.  
 69.17 Intersect the line of Correction 3.77 links East  
 of the  $\frac{1}{2}$  mile Corner. where. Set a Post cor. to  
 Sec. 3 & 4. from which  
 a Beech 24 in. diam. bears S. 55 E. 33 links dist. &  
 an Elm 12 " " " S. 83 W. 23 " "  
 Land quite rolling. Timber. Oak. Ash.  
 Walnut. Hickory Elm. Sugar. &. Underg. Elm  
 Chennod. Beech. " &c?

March 25<sup>th</sup> 1834

- North Between Sec. 32 & 33  
 20.28 A Sugar 12 in. diam.

# T 31 N. R 8 E. 2<sup>nd</sup> Mer. Indiana.

277

40 00 Set a g. Sec. post from which  
a Willow 6 in. diam. bears N. 79 W. 17 links dist. &  
a G. 5 " " " N. 15 E. 18 " "  
in small Willow Swamp.

54 58 A W. Oak 36 in. diam.

80 00 Set a Post cor. to Sec. 28, 29, 32 & 33 from which  
a B. Oak 8 in. diam. bears N. 49 W. 32 links dist. &  
a Hickory 12 " " " S. 76 E. 24 " "  
South  $\frac{1}{2}$  good Land North  $\frac{1}{2}$  2<sup>nd</sup> rate.

East On Random between Sec. 28 & 33.

53. 00 A Brook 12 links wide. Course S E.

80 23 Intersect the N. 45 line 65 links North of the Post.

Land 2<sup>nd</sup> rate. Timber. Hickory. Ash. Oak. Beech  
& Underg. Elm. Linn. Birch &c.

West Connected between Sec. 28 & 33

20. 00 A Buckeye 12 in. diam.

40 11 $\frac{1}{2}$  Set a g. Sec. post at aver. dist. from which  
a Hickory 7 in. diam. bears S. 17 E. 32 links dist. &  
an Ironwood 6 " " " N. 22 E. 15 " "

59. 83 A Linn 20 " "

80. 23 To Sec. Corner.

North Between Sec. 28 & 29

17. 95 A Sugar. 13 in. diam.

38. 67 A Brook 12 links wide. Course S E.

40. 00 Set a g. Sec. post. from which  
a Plum 5 in. diam. bears S. 70 E. 19 links dist. &  
a Thorn 12 " " " N. 69 W. 18 " "

57. 50 An Ash 22 " "

79. 95 A Brook 5 links wide. Course S W.

80. 00 Set a Post Cor. to Sec. 20, 21, 28 & 29 from which  
an Elm 18 in. diam. bears N. 81 E. 35 links dist. &  
a W. Oak 36 " " " S. 19 E. 39 " "  
Land Rolling 2<sup>nd</sup> rate. Timber as before.



## T. B. N. R. &amp; E. Ma. Indiana

East On Random between Sec. 21 & 28.

96 A Brook 5 links wide. Course South. W

80.90 Intersect N & S line 5 links S. of the Post.

Land Rolling 2<sup>nd</sup> rate. but interspersed with Ponds. & small Willow swamps

West Connected between Sec. 21 & 28.

21.28 A W. Oak 15 in. diam.

40.45 Set a gr. Sec. post at aver. dist. from which  
a Cherry 5 in. diam. bears S 15 E 12 links dist. &  
an Ash 10 " " " N 4 E 24 " "

82.53 An Chenwood 5 in. diam.

80.90 To Sec. corner.

North Between Sec. 20 & 21

14.72 An Elm 36 in. diam.

40.00 Set a gr. Sec. post. from which  
a W. Oak 7 in. diam. bears S 76 E 16 links dist. &  
a Hickory 11 " " " S 57 W 15 " "

80.00 Set a Post cor. to Sec. 16. 17. 20 & 21 from which  
a Beech 10 in. diam. bears N. 68 E. 16 links dist. &  
a Sugar 10 " " " N. 57 W. 26 " "  
Good 2<sup>nd</sup> rate Rolling Land. Heavy Timber.  
Good Timber for Rails.

East On Random between Sec. 16 & 21

79.20 A Brook 12 links wide. Course S. E.

81.00 Intersect the N & S line 1.50 links S. of the Post.  
Land Rolling. Most for good 2<sup>nd</sup> rate. East for some-  
what Broken. Timber. Beech. Oak. Ash.  
Elm. Walnut. Chenwood. Elm. Sugar.

West Connected between Sec. 16 & 21.

40.50 Set a gr. Sec. post at aver. dist. from which  
a Beech 9 in. diam. bears N. 6 W. 13 links dist. &  
a Hambeam 4 " " " N 73 E 16 " "

63. 89 A Hickory 22 in. diam.  
81. 00 To Sec. corner.

North Between Sec. 16 & 17  
23. 23 A Hickory 20 in. diam.  
40. 00 Set a g. Sec. post from which  
a Poplar 20 in. diam. bears S. 79 W. 6 links dist. &  
a Birch 9 " " " N 79 E 11 " "  
80. 00 Set a Post Cor. to Sec. 8. 9. 16 & 17 from which  
an Elm 5 in. diam. bears S. 10 W. 10 links dist. &  
a Birch 19 " " " North 14 " "  
Land Rolling & 2<sup>nd</sup> rate. Timber as before.

East On Random between Sec. 9 & 16  
80 93 Intersect N & S line 84 links South of the Post.  
Land & Timber as before.

West Corrected between Sec. 9 & 16  
21. 12 A Hickory 19 in. diam.  
40 46 1/2 Set a g. Sec. post at arc. dist. from which  
an Ironwood 6 in. diam. bears S. 51 W. 10 links dist. &  
a Hickory 11 " " " N 59 E 14 " "  
50 47 A Do 11 " " "  
80. 93 To Sec. corner March 21<sup>st</sup> 1834.

North Between Sec. 8 & 9  
17. 07 A Hickory 24 in. diam.  
40. 00 Set a g. Sec. post from which  
an Ironwood 6 in. diam. bears S. 21 W. 10 links dist. &  
an Elm 12 " " " N 43 E 34 " "  
63. 59 A W. Oak 36 " "  
80 00 Set a Post Cor. to Sec. 4 5. 8 & 9. from which  
a Sugar 24 in. diam. bears S. 33 W. 13 links dist. &  
a Birch 6 " " " S. 55 E. 8 " "  
Land Rolling & 2<sup>nd</sup> rate.

## T. 31. N. R. 8 E. 2nd Mer. Indiana

East On Random between Sec? 4 & 9.  
50 90 Intersect the N. & S. line 50 links South of Post-  
Oak timber Poor land. Willow swamps on  
either hand.

West Connected between Sec? 4 & 9.  
20 80 A Beech 10 in. diam.  
40 45 Set a g. Sec post at a cen. dist. from which  
a Sugar 5 in. diam. bears S. 73 W. 10 links dist. &  
a Walnut 30 " " " N. 68 E. 8 " "  
63 42 An Ash pin 16 " "  
80 90 To the corner.

North Between Sec? 4 & 5.  
10 50 A Walnut 20 in. diam.  
40 00 Set a g. Sec post from which  
a Beech 20 in. diam. bears S. 11 W. 10 links dist. &  
a Co 24 " " " N. 51 E. 24 " "  
55 70 A Beech 10 " "  
90 71 Intersect line of Correction 1.05 links E. of the  
g. Sec. Corner, where Set a Post corner to Sec?  
4 & 5 from which  
a Buckeye 10 in. diam. bears S. 54 W. 24 links dist. &  
a W. Beech 6 " " " S. 27 E. 12 " "  
80 00 On this line is a large Pond of clear water,  
immediately West of the line  
Land & Timber not described.

North Between Sec? 31 & 32  
18 65 A Sugar 24 in. diam.  
32 25 A Brook 5 links wide. Course S. W.  
40 00 Set a g. Sec post from which  
a Beech 24 in. diam. bears S. 55 E. 15 links dist. &  
a Co 20 " " " N. 68 W. 9 " "  
61 00 Enter Mt. Prairie surrounded with willow  
and Tamarac.

Comp<sup>d</sup>



73. 00 Left the Prairie.

80 00 Set a Post Cor. to Sec. 29. 30. 31 + 32 from which  
a Buckeye 11 in. diam. bears S 84 W 12 links dist. &  
a W. Oak 15 " " " N. 75 E. 35 " "  
Truth 1/2 mile good. Timber. Beech. Sugar &  
Ash 1/2 " " " " & Oaks.

East On Random between Sec. 29 + 32.

80 90 Intersect N & S line 12 links North of the Post.  
Land open, inclining to wet. Timber. Beech.  
Oak. Y. Ash. Hickory. & Undergrowth. Ironwood.  
Elm. & Birch

West Corrected between Sec. 29 + 32.

22. 63 An Ash 18 in. diam.

40 45 Set a q. Sec. post at aver. dist. from which  
an Ash 11 in. diam. bears S 32 E. 8 links dist. &  
a Birch 24. " " " N. 30 W. 6 " "

52. 05 An Ash 10 " "

80. 90 To Sec. corner.

West On Random between Sec. 30 + 31

91. 00 Intersect the West Boundary 1. 30 links South  
of the Post.

Land Swampy.

Set a Post Cor. to Sec. 30 + 31 at old Corner  
from which

a Birch 22 in. diam. bears S. 19 E. 34 links dist. &

a Co. 5 " " " N. 50 E. 12 " "

Land West 1/2 mile good.

East Corrected between Sec. 30 + 31

20 81 A Birch 10 in. diam.

51. 00 Set a q. Sec. post on true line from which  
a Willow 1 in. diam. bears S 9 W 4 links dist. & in  
an Elm 8 " " " East 38 " " } swamp.



T31 A. R. & E 2<sup>nd</sup> Mer. Indiana

70 60 A Cherry 36 in. diam.  
91 00 To Sec. Corner.

North Between Sec. 29 & 30

7 10 An Ash 15 in. diam.

40 00 Set a g. Sec. post from which  
an Ash 8 in. diam. bears N 89 E 10 links dist. &  
a Do 6 " " " S 16 E 10 " "

54 90 A Sugar 20 " "

60 00 Set a Post cor. to Sec. 19. 20 29 & 30 from which  
a Beech 18 in. diam. bears N. 5 E. 26 links dist. &  
an Ironwood 5 " " " S. 73 W. 22 " "  
Land North  $\frac{1}{2}$  mile good. Timber. Sugar. Elm.  
Walnut. Beech. Hickory. Oak. & Underg.  
Ironwood. Water Beech & Sugar.

East On Random between Sec. 20 & 29.

28 41 A Brook 10 links wide. course South.

40 00 A Do " " " " " N E,

43 50 Do 10 " " " " " S E,

80 84 Intersect the N & S line 33 links North of the Post.  
Land quite rolling 1<sup>st</sup>  $\frac{1}{2}$  mile swampy.  
Last  $\frac{1}{2}$  2<sup>nd</sup> rate. Timber as before.

West Corrected between Sec. 20 & 29.

22 61 A Beech 20 in. diam.

40 42 Set a g. Sec. post at arer. dist. from which  
a Buckeye 12 in. diam. bears N. 15 W. 16 links dist. &  
an Ash 8 " " " South 24 " "

61 36 An Elm 12 " "

80 84 To Sec. Corner.

West On Random between Sec. 19 & 30

50 00 A Brook 5 links wide. course S E,

91 16 Intersect West Boundary 30 links South of old  
cor. in the West Boundary. Set a Post cor. to Sec.

T31. N R & E. 2<sup>nd</sup> Mer. Indiana.

19 + 30 from which  
 a Beech 20 in. diam. bears N 43 E 15 links dist. &  
 a Poplar 20 " " " S 44 E 29 " "  
 Land & Timber as before.

East Corrected between Sec. 19 + 30.  
 31. 24 A Hickory 11 in. diam.  
 51 00 Set a g. Sec. post at aver. dist. from which  
 a Beech 10 in. diam. bears N 51 E 5 links dist. &  
 a Co 7 " " " S 87 W. 19 " "  
 73. 35 A Sugar 20 " "  
 91 06 to Sec. Corner.

North Between Sec. 19 + 20  
 12. 20 A Brook 9 links wide. Course S E.  
 13. 80 A W. Oak 13 in. diam.  
 40 00 Set a g. Sec. post from which  
 a Elm 5 in. diam. bears S 94 W 8 links dist. &  
 a Cherry 20 " " " N. 87 E. 18 " "  
 West of this corner is the appearance of Prairie.  
 57. 60 An Ash 13 in. diam.  
 80. 00 Set a Post cor. to Sec. 17 18 19 + 20 from which  
 an Ironwood 5 in. diam. bears S 17 E 18 links dist. &  
 a Beech 11 " " " N. 55 E. 21 " "  
 Land rolling. North 1/2 mile good. Timber same  
 as before. At the g. Sec. Cor. is the same open  
 ground, interspersed with Plum-bushes,  
 having the appearance of natural meadow.

East On Random between Sec. 17 + 20  
 14. 50 A Brook 12 links wide. Course South.  
 80 96 Intersect the N. & S. line 55 links North of Post.  
 Land Rolling 2<sup>nd</sup> rate.

West Corrected between Sec. 17 + 20  
 21. 94 An Elm 15 in. diam.

## T. B. A. R. &amp; E. Ind. Mer. Indiana

- 40 48 Set a gr. Sec. post at river. dist. from which  
an Elm 16 in. diam. bears S 47° W 15 links dist. &  
an Ash 16 " " " N 43° E 30 " "
- 61 48 A Poplar 30 " "
- 80 46 To Sec. Corner. March 27<sup>th</sup> 1834.

- East Connected between Sec. 18 & 19.  
At the Corner on the West Boundary. Set a  
Post Cor. to Sec. 18 & 19 from which  
a W. Oak 11 in. diam. bears S 24° E 31 links dist. &  
a Maple 18 " " " N 65° E 30 " "
- 20 30 An Ash 8 " "
- 51 63 Set a gr. Sec. post on true line from which  
an W. Oak 33 in. diam. bears N. 9° W. 29 links dist. &  
a Birch 18 " " " S. 21° W. 27 " "
- 71 00 A Do 20 " "
- 91 63 To Sec. Corner.

- West On Random between Sec. 18 & 19.  
91 63 Intersect the N & S line 1. 90 links North of old Cor.  
on the West Boundary.  
Land Rolling. Timber as before.

- North Between Sec. 17 & 18  
12 56 A W. Oak 16 in. diam.  
31 50 A Brook 8 links wide. Course S.E.  
40 00 Set a gr. Sec. post from which  
a Buckeye 15 in. diam. bears N. 28° W. 7 links dist. &  
a Do 15 " " " S 40° E 25 " "
- 59 56 A Walnut 48 " "
- 59 00 Set a Post cor. to Sec. 7. 8. 17 & 18 from which  
an Elm 6 in. diam. bears N. 56° E. 28 links dist. &  
a Lyrus 5 " " " S 21° E 9 " "
- Land Broken. Hills rich valleys. Swampy.

- East On Random between Sec. 8 & 17.

# 285

## T 31 N. R. 8 E. 2nd Mer. Indiana

0 75 A Brook 10 links wide. Course S.E.  
 55.50 A Post 7 " " " S.E.  
 80 93 Intersect the N & S. line 55 links South of the Post  
 Land Rolling. West  $\frac{1}{2}$  mile rich. East  $\frac{1}{2}$  mile is  
 good also. Timber. Beech. Sugar. Ash. Oak.  
 Elm. Hickory. & Underg<sup>th</sup> Elm. " Beech. &  
 Hornbeam.

West Corrected between Sec<sup>s</sup> 6 & 117.  
 22.57 A Beech 15 in. diam.  
 40 40 $\frac{1}{2}$  Set a gr. Dec post at aver. dist. from which  
 an Elm 13 in. diam. bears S. 34 W. 11 links dist. &  
 a W. Oak 48 " " " N 35 E 33 " "  
 62 00 A Beech 22 " "  
 80 93 To Sec. Corner.

West On Random between Sec<sup>s</sup> 7 & 118.  
 93.00 Intersect the West Boundary 97 links North  
 of the Corner.  
 At the Cor. on the West Boundary Set a Post  
 Cor. to Sec<sup>s</sup> 7 & 118 from which  
 a Beech 10 in. diam. bears S 57 E 17 links dist. &  
 an Elm 30 " " " N 45 E 10 " "  
 West  $\frac{1}{2}$  mile good Timber as before.

East Corrected between Sec<sup>s</sup> 7 & 118.  
 34.56 A W. Oak 40 in. in. diam.  
 53.00 Set a Post on true line. from which  
 an H. Oak 30 in. diam. bears N. 13 W. 18 lks. dist. &  
 an Ash 13 " " " S 43 E 15 " "  
 73.40 A W. Oak 12 " "  
 93.00 To Sec. Corner.

North Between Sec<sup>s</sup> 7 & 8.  
 3.00 A Brook 8 links wide. Course S.E.  
 20 00 Intersect the East side of a Pond of clear water



## T 31 N. R. 8. E 2nd Mer. Indiana

which appears to be deep & is perhaps 5 ch. wide.  
by 10 ch. N & S.

34 17 An Elm 18 in. diam.

40.00 Set a g. Sec. post from which  
a Buck 11 in. diam. bears S 46 E 22 links dist. &  
a Do 12 " " " N 59 W 17 " "

47. 50 An Elm 40 " "

80. 07 Set a Post cor. to Sec. 5, 6, 7 & 8 from which  
a Buck 6 in. diam. bears S. 35 W. 3 links dist. &  
a Lynn " " " N. 56 E. 19 " "  
Land rolling & thin considerable Oak timber.

East On Random between Sec. 5 & 8

80 40 Intersect the N & S line 1.40 links South of Post.  
Land level & net Timber to correspond therewith

West Connected between Sec. 5 & 8

20. 63 A Sugar 20 in. diam.

40 23 Set a g. Sec. post from which (at aver. dist.)  
a Buck 18 in. diam. bears S 78 W 9 links dist. &  
a Do 18 " " " S. 80 E 26 " "

80 46 To Sec. Corner.

West Random between Sec. 6 & 7

94. 50 Intersect the West Boundary 1.86 links North  
of old corner. Set a Post cor. to Sec. 6 & 7  
from which  
an Ro. Oak 36 in. diam. bears N 35 E 20 lks. dist. &  
a W. Oak 24 " " " S. 7 E. 30 " "  
Land rolling & good 2nd rate.

East Connected between Sec. 6 & 7.

34. 75 A W. Oak 22 in. diam.

54. 50 Set a g. Sec. post on true line from which  
an Ash 11 in. diam. bears S. 18 W. 14 links dist. &  
a Do 57 " " " N. 60 E. 9 " "

287

T 31 N R 8 E. 2<sup>nd</sup> Mer. Indiana.

75.00 An H. Oak 12 in. diam.  
94.50 To Sec. Corner.

North Between Sec. 5 & 6

40.00 Set a gr. Sec. post from which  
an Elm 30 in. diam. bears N. 45 E. 20 links dist. &  
an Ash 24 " " " S 49 W 6 " "

54.83 A H. Oak 6 " "

92.22 Intersect the line of correction. where set a Post  
Corner to Sec. 5 & 6 from which

a Buckeye 11 in. diam. bears S. 69 E. 24 lks. dist. &  
a Hackberry 5 " " " S 8 W 18 " "

South 1/2 mile Mt. North 1/2 mile Rolling & rich.  
Timber. Beech. Ash. Poplar. Sugar. Walnut.  
Oak. &c. March 29<sup>th</sup> 1834.

Meanders of Elc River in Town 31. North  
of Range N 8 East of the 2<sup>nd</sup> Mer. Indiana  
Beginning on Town line between Townships  
N 30 & 31 N. Range N 8 East. Thence  
up Stream on the Right Bank.

Courses Distances Remarks.

N 10 E 6.00

N 41 E 10.00 At 5.50 A Spring Branch

N 26 E 5.00

N 66 E 8.00

N 61 E 11.00 At 8.50 Spring Branch.

S 88 E 7.00

S 27 E 5.00

N 79 E 5.00 In Sec. 35.

N 52 E 8.00

N 64 E 7.00

S 52 E 6.00

S 40 E 2.90 To the Cor. on Sec. line, between Sec. 35 & 36.  
Thence up Stream in Sec 36

T. 31 N. R. 8 E 2<sup>nd</sup> Mer. Indiana.

S68E 9.00

S75E 11.00

S54E 9.00

N85E 9.00

S68E 7.00

N84E 6.00

S56E 14.00 At 570 A Brook 8 links wide from N.E.

N87E 11.00

N35E 6.00

S76E 5.00

S27E 3.33 To corner on Range line to line between  
Ranges 8 & 9.Surveyed by  
John Hendricks  
Dep. SurveyorComp<sup>d</sup>.

I hereby Certify that in pursuance of a Contract with M. V. Williams Surveyor General of the United States for the State of Ohio, Indiana, and the Territory of Michigan, bearing date the 27<sup>th</sup> day of December 1833 & in strict conformity to the Laws of the United States and the instructions of the said Surveyor General. I have surveyed and subdivided into Sec. Township No 31 North of Range No 8 East of the 2<sup>nd</sup> Mer. Indiana, and I do further Certify that the foregoing are the true and original Field Notes of the said survey and subdivisions executed as aforesaid.

Certified this 29<sup>th</sup> day of March 1834.

John Hendricks  
Dep. Surveyor

William Cash  
William Fulton. Chairman

Nathan Simpson Marker.

I Certify that the foregoing transcript of the Field Notes of Township No 31 North of Range No 8 East of the 2<sup>nd</sup> Mer. in the State of Indiana, has been compared with the original notes in this Office, and found to be correct.  
Surveyor General's Office  
Cincinnati, April 22. 1845

William Johnston  
Sur. Genl.